JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 435 (1992)

AUTHOR INDEX

Allen, D.W., (435) 203
Ang, H.G., (435) 149
Antiñolo, A., (435) 55
Antinolo, A., (435) C3
Aoshima, T., (435) 85
Apostolidis, C., (435) 275
Arif, A.M., (435) 73
Atovmyan, L.O., (435) 37
Azam, K.A., (435) 157

Barabanov, D.I., (435) 257
Brisdon, B.J., (435) 319
Brown, D.A., (435) C1
Brown, P., (435) 265

Canty, A.J., (435) C8
Carboni, B., (435) 1
Cartwright, M., (435) 319
Casas, J.S., (435) 29
Churakov, A.V., (435) 37
Clark, H.C., (435) 225
Cropper, P.E., (435) 203

Dargatz, M., (435) 123
Day, M.W., (435) 157
Deacon, G.B., (435) 101
Deeming, A.J., (435) 157
Dickson, R.S., (435) 101
Dirnens, V., (435) 257
Draper, S.M., (435) 9

Ernst, R.D., (435) 73

Fajardo, M., (435) 55, C3
Fawzi, R., (435) 109, 213
Ferrara, J., (435) 299
Field, L.D., (435) 347
Frampton, C.S., (435) 357

García, G., (435) 193
García, J., (435) 193
Gates, B.C., (435) 377
Gau, H.-M., (435) 43
George, A.V., (435) 347

Hampp, A., (435) 169
Hanaya, M., (435) 337
Hardcastle, K.I., (435) 157
Hermoso, J.A., (435) 193
Hey-Hawkins, E., (435) 291
Hidai, M., (435) 85
Hintermann, S., (435) 225
Hodson, A.G.W., (435) 319
Housecroft, C.E., (435) 9
Huang, Y.-H., (435) 185

Ignatovich, L.M., (435) 257
Ikemoto, M., (435) 133
Ishikawa, M., (435) 249
Iwaizumi, M., (435) 337

Jego, J.M., (435) 1
Jiménez, J., (435) 235
Jin, S., (435) 311
Jones, P.G., (435) 123

Kabir, S.E., (435) 157
Kanellakopulos, B., (435) 275
Kawai, T., (435) 133
Kawano, H., (435) 133
Kelley, M.J., (435) 377
Koh, C.H., (435) 149
Kunai, A., (435) 249
Kwik, W.L., (435) 149

Laguna, A., (435) 235
Laguna, M., (435) 235
Lahoz, F.J., (435) 235
Lanfranchi, M., (435) 55
Laschi, F., (435) 347
Latten, J.L., (435) 101
Liang, Y., (435) 311
Liepiņš, E., (435) 257
Lin, Y., (435) 311
Lindenberg, F., (435) 291
Lindner, E., (435) 109, 213
Liu, J., (435) 311
Liu, L.-K., (435) 43
López, G., (435) 193
Lopez-Mardomingo, C., (435) 55
Lucas, D., (435) 55, C3
Luh, L.-H., (435) 43
Lukevics, E., (435) 257

Mahon, M.F., (435) 265, 319
Maichle, C., (435) 213
Maier, R., (435) 275
Maloney, S.D., (435) 377
Malouf, E.Y., (435) 347
Martínez, A., (435) 193
Martínez-Ripoll, M., (435) 193
Mayer, H.A., (435) 109
McGlinchey, M.J., (435) 357
Miah, A., (435) 157
Mizobe, Y., (435) 85
Mkoyan, S.G., (435) 37
Molloy, K.C., (435) 265, 319
Mugnier, Y., (435) 55, C3

Newbound, T.D., (435) 73
Nifant'ev, I.E., (435) 37
Nothdurft, A., (435) 213
Nuber, B., (435) 275

Ogasawara, M., (435) 133
Olmos, E., (435) 235
Otero, A., (435) 55, C3

Pabel, M., (435) 109
Pellinghelli, M.A., (435) 55
Perrier, R.E., (435) 357
Plenio, H., (435) 21
Pregosin, P.S., (435) 225

Razavi, A., (435) 299
Rheingold, A.L., (435) 73, 9
Rosenberg, E., (435) 157
Rüegger, H., (435) 225

Saburi, M., (435) 133
Sakamoto, H., (435) 249
Sánchez, G., (435) 193
Sánchez González, A., (435) 29
Scheer, M., (435) 123
Schei, C.-C., (435) 43
Schenzel, K., (435) 123
Shao, L., (435) 133
Sordo, J., (435) 29
Stang, P.J., (435) 185

Takeuchi, H., (435) 133
Takeuchi, K., (435) 133
Tamura, T., (435) 85
Tiekink, E.R.T., (435) 101
Traill, P.R., (435) C8

Urazowski, I.F., (435) 37

Valle, G., (435) 29
Vaultier, M., (435) 1

Wang, Y., (435) 311
Watanabe, K., (435) 249
Werner, H., (435) 169
West, B.O., (435) 101
Wilson, D.R., (435) 73
Windmüller, B., (435) 169
Wurst, K., (435) 109

Zanello, P., (435) 347

JOURNAL OF ORGANOMETALLIC CHEMISTRY, VOL. 435 (1992)

SUBJECT INDEX

Actinides

Molekülstruktur und Ladungsverteilung der 4*f*- und 5*f*-Elemente. III . Dipolmomente und Ladungsverteilung der 1:1-Addukte der Tris(cyclopentadienyl)lanthanoide(III) bzw. -actinoide(III) mit Tetrahydrofuran; Röntgenstrukturanalyse von $(C_5H_5)_3Dy \cdot THF$ (R. Maier, B. Kanellakopulos, C. Apostolidis und B. Nuber), (435) 275

Boron

A simple convenient preparation of ω-aminoboronic acids and esters (J.M. Jego, B. Carboni and M. Vaultier), (435) 1

Synthesis and solution properties of the boron-containing clusters $HM_4(CO)_{12}BAu_2(dppf)$ (M = Fe or Ru) and the competitive formation of $\{HM_4(CO)_{12}BHAu\}_2(dppf)$ for M = Ru (dppf = 1,1′-bis(diphenylphosphino)ferrocene). Molecular structure of $HRu_4(CO)_{12}BAu_2(dppf) \cdot 2\ CHCl_3$ (S.M. Draper, C.E. Housecroft and A.L. Rheingold), (435) 9

Chromium

Symmetric *versus* unsymmetric ligand orientations in (pentadienyl)Cr(I or II)$(L)_2(L')$ species, and a spontaneous reduction of Cr^{II} to Cr^{I} (T.D. Newbound, A.M. Arif, D.R. Wilson, A.L. Rheingold and R.D. Ernst), (435) 73

Germanium

Amination of vinylsilanes and vinylgermanes containing an activated double bond (V. Dirnens, D.I. Barabanov, E. Liepiņš, L.M. Ignatovich and E. Lukevics), (435) 257

Gold

Asymmetrical monocationic or neutral gold(II) complexes: X-ray crystal structure of $[(C_6F_5)Au(CH_2PPh_2CH_2)_2AuPPh_3]ClO_4 \cdot 0.5CH_2Cl_2$ (A. Laguna, M. Laguna, J. Jiménez, F.J. Lahoz and E. Olmos), (435) 235

Hafnium

Preparation and crystal structures of the complexes $(\eta^5\text{-}C_5H_4CMe_2\text{-}\eta^5\text{-}C_{13}H_8)MCl_2$ (M = Zr, Hf) and their role in the catalytic formation of syndiotactic polypropylene (A. Razavi and J. Ferrara), (435) 299

Iridium

Ligand redistribution reactions of some organometallic rhodium and iridium complexes (P.J. Stang and Y.-H. Huang), (435) 185

Surface organometallic chemistry: formation of $[Ir_8(CO)_{22}]^{2-}$ on magnesium oxide (S.D. Maloney, M.J. Kelley and B.C. Gates), (435) 377

Iron

Synthesis and solution properties of the boron-containing clusters $HM_4(CO)_{12}BAu_2(dppf)$ (M = Fe or Ru) and the competitive formation of $\{HM_4(CO)_{12}BHAu\}_2(dppf)$ for M = Ru (dppf = 1,1′-bis(diphenylphosphino)ferrocene). Molecular structure of $HRu_4(CO)_{12}BAu_2(dppf) \cdot 2\ CHCl_3$ (S.M. Draper, C.E. Housecroft and A.L. Rheingold), (435) 9

Synthesis and characterization of Group IV metal–iron complexes bridged by carboxylate substituted cyclopentadienyl group. The structure of $Cp_2Ti[(\mu\text{-}O_2CC_5H_4)Fe(CO)_2(CH_2C_6H_5)]_2$ (H.-M. Gau, C.-C. Schei, L.-K. Liu and L.-H. Luh), (435) 43

P_4-Liganden mit maximaler Elektronendonorfähigkeit II. $[\{Fe(CO)_4(\mu\text{-}P_2)\}_2\{\mu\text{-}Fe_2(CO)_6\}_2]$—ein Komplex mit einer ungewöhnlich stabilisierten P_4-Einheit (M. Scheer, M. Dargatz, K. Schenzel und P.G. Jones), (435) 123

Electrochemistry of acetylide complexes of iron (L.D. Field, A.V. George, F. Laschi, E.Y. Malouf and P. Zanello), (435) 347

An X-ray crystallographic and high field NMR study of [7-dehydrocholesteryl acetate]$Fe(CO)_3$: synthesis of a B-ring cyclohexadienyl cationic complex (R.E. Perrier, C.S. Frampton and M.J. McGlinchey), (435) 357

Lanthanides

Molekülstruktur und Ladungsverteilung der 4*f*- und 5*f*-Elemente. III . Dipolmomente und Ladungsverteilung der 1:1-Addukte der Tris(cyclopentadienyl)lanthanoide(III) bzw. -actinoide(III) mit Tetrahydrofuran; Röntgenstrukturanalyse von $(C_5H_5)_3Dy\cdot THF$ (R. Maier, B. Kanellakopulos, C. Apostolidis und B. Nuber), (435) 275

Manganese

The synthesis of alkylmanganese(III) complexes. Crystal structure of $MnMe(2\text{-}Me_2NCH_2C_6H_4)_2$ (J.L. Latten, R.S. Dickson, G.B. Deacon, B.O. West and E.R.T. Tiekink), (435) 101

Synthese und Reaktivität kohlenwasserstoffüberbrückter Komplexe von Mangan, Rhenium, Molybdän und Wolfram (E. Lindner, M. Pabel, R. Fawzi, H.A. Mayer und K. Wurst), (435) 109

Metallocenes

Synthesis and solution properties of the boron-containing clusters $HM_4(CO)_{12}BAu_2(dppf)$ (M = Fe or Ru) and the competitive formation of $\{HM_4(CO)_{12}BHAu\}_2(dppf)$ for M = Ru (dppf = 1,1′-bis(diphenylphosphino)ferrocene). Molecular structure of $HRu_4(CO)_{12}BAu_2(dppf)\cdot 2\ CHCl_3$ (S.M. Draper, C.E. Housecroft and A.L. Rheingold), (435) 9

ansa-Metallocene derivatives of Ti^{IV} and Zr^{IV} with the shortest $-C(CH_3)_2-$ bridge (I.E. Nifant'ev, A.V. Churakov, I.F. Urazowski, S.G. Mkoyan and L.O. Atovmyan), (435) 37

Synthesis and characterization of Group IV metal–iron complexes bridged by carboxylate substituted cyclopentadienyl group. The structure of $Cp_2Ti[(\mu\text{-}O_2CC_5H_4)Fe(CO)_2(CH_2C_6H_5)]_2$ (H.-M. Gau, C.-C. Schei, L.-K. Liu and L.-H. Luh), (435) 43

Early-transition-metal ketene complexes: synthesis, reactivity and structure of ketene complexes of bis(trimethylsilyl)niobocene, X-ray structure of $[Nb(\eta^5\text{-}C_5H_4SiMe_3)_2Br(Ph_2C{=}C{=}O\text{-}C,O)$ (A. Antiñolo, A. Otero, M. Fajardo, C. Lopez-Mardomingo, D. Lucas, Y. Mugnier, M. Lanfranchi and M.A. Pellinghelli), (435) 55

Darstellung und Eigenschaften von und Reaktionen mit metallhaltigen Heterocyclen. LXXVIII. Das Verhalten von monomeren und dimeren Thiophosphinitonickel-Komplexen gegenüber Alkinen und Phosphaalkinen (E. Lindner, A. Nothdurft, R. Fawzi und C. Maichle), (435) 213

Synthese und Kristallstruktur von $Cp'_2Zr\{P(SiMe_3)_2\}_2$ ($Cp' = \eta^5\text{-}C_5H_4Me$) — Erste röntgenstrukturanalytische Untersuchung eines Zirkonocen–Bisphosphido-Komplexes (F. Lindenberg und E. Hey-Hawkins), (435) 291

Preparation and structure of half-open vanadocene, $V[2,4\text{-}(CH_3)_2C_5H_5](C_5H_5)CO$ (Y. Wang, Y. Liang, J. Liu, S. Jin and Y. Lin), (435) 311

Electrochemical studies on organometallic compounds. XLI . Electrogeneration and ESR characterization of $[Nb(\eta^5\text{-}C_5H_4SiMe_3)_2Cl\{P(OMe)_3\}]^+$ (D. Lucas, Y. Mugnier, A. Antinolo, A. Otero and M. Fajardo), (435) C3

Molybdenum

Preparation and properties of molybdenum and tungsten dinitrogen complexes. XXXV. Synthesis of diazoalkane and hydrazido(2−) complexes of tungsten containing a π-acceptor ligand (T. Aoshima, T. Tamura, Y. Mizobe and M. Hidai), (435) 85

Synthese und Reaktivität kohlenwasserstoffüberbrückter Komplexe von Mangan, Rhenium, Molybdän und Wolfram (E. Lindner, M. Pabel, R. Fawzi, H.A. Mayer und K. Wurst), (435) 109

Structural properties of cationic molybdenum and tungsten allyl derivatives (B.J. Brisdon, M. Cartwright, A.G.W. Hodson, M.F. Mahon and K.C. Molloy), (435) 319

Nickel

Reactivity of the $[\{Ni(C_6F_5)_2(\mu\text{-}OH)\}_2]^{2-}$ ion towards β-diketones, 8-hydroxiquinoline and heterocyclic thiones. Crystal structure of $[NBu_4][Ni(C_6F_5)_2(C_5H_4NS\text{-}2)]$ (G. López, G. Sánchez, G. García, J. García, A. Martínez, J.A. Hermoso and M. Martínez-Ripoll), (435) 193

A kinetic study of the coordination template effect in the nickel-catalysed formation of arylphosphonium salts (D.W. Allen and P.E. Cropper), (435) 203

Darstellung und Eigenschaften von und Reaktionen mit metallhaltigen Heterocyclen. LXXVIII. Das Verhalten von monomeren und dimeren Thiophosphinitonickel-Komplexen gegenüber Alkinen und Phosphaalkinen (E. Lindner, A. Nothdurft, R. Fawzi und C. Maichle), (435) 213

Niobium

Early-transition-metal ketene complexes: synthesis, reactivity and structure of ketene complexes of bis(trimethylsilyl)niobocene, X-ray structure of $[Nb(\eta^5\text{-}C_5H_4SiMe_3)_2Br(Ph_2C{=}C{=}O\text{-}C,O)$ (A. Antiñolo, A. Otero, M. Fajardo, C. Lopez-Mardomingo, D. Lucas, Y. Mugnier, M. Lanfranchi and M.A. Pellinghelli), (435) 55

Electrochemical studies on organometallic compounds. XLI . Electrogeneration and ESR characterization of $[Nb(\eta^5\text{-}C_5H_4SiMe_3)_2Cl\{P(OMe)_3\}]^+$ (D. Lucas, Y. Mugnier, A. Antinolo, A. Otero and M. Fajardo), (435) C3

Osmium

Synthesis, characterization and hindered rotation of triosmium clusters $(\mu\text{-}H)Os_3(CO)_{10}L[ON(CF_3)_2]$ [L = CO, CH_3CN and PhCN] (H.G. Ang, C.H. Koh and W.L. Kwik), (435) 149

Triosmium clusters containing bridging sulphur, hydrido, and diphosphine ligands: a study of hydride site preferences and mobility (K.A. Azam, S.E. Kabir, A. Miah, M.W. Day, K.I. Hardcastle, E. Rosenberg and A.J. Deeming), (435) 157

Palladium

Pallada(IV)cyclopentane chemistry, including the synthesis of tris(pyrazol-1-yl)borate complexes (A.J. Canty and P.R. Traill), (435) C8

Phosphorus

Neutrale und kationische Rhodiumkomplexe mit den potentiell zweizähnigen Phosphanliganden $^iPr_2PCH_2CH_2OMe$, $^iPr_2PCH_2CH_2NMe_2$ und $^iPr_2PCH_2CH_2CH_2NMe_2$ (H. Werner, A. Hampp und B. Windmüller), (435) 169

A kinetic study of the coordination template effect in the nickel-catalysed formation of arylphosphonium salts (D.W. Allen and P.E. Cropper), (435) 203

Darstellung und Eigenschaften von und Reaktionen mit metallhaltigen Heterocyclen. LXXVIII. Das Verhalten von monomeren und dimeren Thiophosphinitonickel-Komplexen gegenüber Alkinen und Phosphaalkinen (E. Lindner, A. Nothdurft, R. Fawzi und C. Maichle), (435) 213

Platinum

Electron transfer reactions involving *trans*-$[PtH_2(PCy_3)_2]$ and fluorinated benzonitriles (S. Hintermann, P.S. Pregosin, H. Rüegger and H.C. Clark), (435) 225

Rhenium

Synthese und Reaktivität kohlenwasserstoffüberbrückter Komplexe von Mangan, Rhenium, Molybdän und Wolfram (E. Lindner, M. Pabel, R. Fawzi, H.A. Mayer und K. Wurst), (435) 109

Rhodium

Neutrale und kationische Rhodiumkomplexe mit den potentiell zweizähnigen Phosphanliganden $^{i}Pr_2PCH_2CH_2OMe$, $^{i}Pr_2PCH_2CH_2NMe_2$ und $^{i}Pr_2PCH_2CH_2CH_2NMe_2$ (H. Werner, A. Hampp und B. Windmüller), (435) 169

Ligand redistribution reactions of some organometallic rhodium and iridium complexes (P.J. Stang and Y.-H. Huang), (435) 185

Ruthenium

Synthesis and solution properties of the boron-containing clusters $HM_4(CO)_{12}BAu_2(dppf)$ (M = Fe or Ru) and the competitive formation of $\{HM_4(CO)_{12}BHAu\}_2(dppf)$ for M = Ru (dppf = 1,1′-bis(diphenylphosphino)ferrocene). Molecular structure of $HRu_4(CO)_{12}BAu_2(dppf)\cdot 2\ CHCl_3$ (S.M. Draper, C.E. Housecroft and A.L. Rheingold), (435) 9

Asymmetric hydrogenation of prochiral carboxylic acids and functionalized carbonyl compounds catalysed by ruthenium(II)–binap complexes with aryl nitriles (binap = (*R*)- or (*S*)-2,2′-bis(diphenylphosphino)-1,1′-binaphthyl) (L. Shao, K. Takeuchi, M. Ikemoto, T. Kawai, M. Ogasawara, H. Takeuchi, H. Kawano and M. Saburi), (435) 133

Silicon

Polycylopentadienyls: synthesis of arylsilylcyclopentadienyl compounds and their η^5-complexes with tungsten (H. Plenio), (435) 21

Silicon–carbon unsaturated compounds. XL. Photolysis of 1,4-bis(2-phenyltetramethyldisilanyl)benzene (M. Ishikawa, K. Watanabe, H. Sakamoto and A. Kunai), (435) 249

Amination of vinylsilanes and vinylgermanes containing an activated double bond (V. Dirnens, D.I. Barabanov, E. Liepiņš, L.M. Ignatovich and E. Lukevics), (435) 257

Synthese und Kristallstruktur von $Cp'_2Zr\{P(SiMe_3)_2\}_2$ ($Cp' = \eta^5$-C_5H_4Me) — Erste röntgenstrukturanalytische Untersuchung eines Zirkonocen–Bisphosphido-Komplexes (F. Lindenberg und E. Hey-Hawkins), (435) 291

Tin

Complexes of dibutyldihalotin(IV) with imidazole and pyrazole. The crystal structure of dibutyldichlorobis(pyrazole)tin(IV) (A. Sánchez González, J.S. Casas, J. Sordo and G. Valle), (435) 29

Sterically hindered organotin compounds. II. Synthesis of the organotin halides $(mesityl)_2SnX_nY_{2-n}$, $(mesityl)SnX_nY_{3-n}$ and $R_4Sn_2X_2$ (R = 2,4,6-$^{i}Pr_3C_6H_2$, X = Cl, Y = Br). Crystal structure of the ditin species $(R_2BrSn)_2$ (P. Brown, M.F. Mahon and K.C. Molloy), (435) 265

Titanium

ansa-Metallocene derivatives of Ti^{IV} and Zr^{IV} with the shortest $-C(CH_3)_2-$ bridge (I.E. Nifant'ev, A.V. Churakov, I.F. Urazowski, S.G. Mkoyan and L.O. Atovmyan), (435) 37

Synthesis and characterization of Group IV metal–iron complexes bridged by carboxylate substituted cyclopentadienyl group. The structure of $Cp_2Ti[(\mu\text{-}O_2CC_5H_4)Fe(CO)_2(CH_2C_6H_5)]_2$ (H.-M. Gau, C.-C. Schei, L.-K. Liu and L.-H. Luh), (435) 43

Tungsten

Polycylopentadienyls: synthesis of arylsilylcyclopentadienyl compounds and their η^5-complexes with tungsten (H. Plenio), (435) 21

Preparation and properties of molybdenum and tungsten dinitrogen complexes. XXXV. Synthesis of diazoalkane and hydrazido(2−) complexes of tungsten containing a π-acceptor ligand (T. Aoshima, T. Tamura, Y. Mizobe and M. Hidai), (435) 85

Synthese und Reaktivität kohlenwasserstoffüberbrückter Komplexe von Mangan, Rhenium, Molybdän und Wolfram (E. Lindner, M. Pabel, R. Fawzi, H.A. Mayer und K. Wurst), (435) 109

Structural properties of cationic molybdenum and tungsten allyl derivatives (B.J. Brisdon, M. Cartwright, A.G.W. Hodson, M.F. Mahon and K.C. Molloy), (435) 319

EPR studies of photochemical reactions of hexacarbonylbis(η^5-2,4-cyclopentadien-1-yl)ditungsten, $[CpW(CO)_3]_2$, with quinones (M. Hanaya and M. Iwaizumi), (435) 337

Vanadium

Preparation and structure of half-open vanadocene, V[2,4-$(CH_3)_2C_5H_5$](C_5H_5)CO (Y. Wang, Y. Liang, J. Liu, S. Jin and Y. Lin), (435) 311

Zirconium

ansa-Metallocene derivatives of Ti^{IV} and Zr^{IV} with the shortest $-C(CH_3)_2-$ bridge (I.E. Nifant'ev, A.V. Churakov, I.F. Urazowski, S.G. Mkoyan and L.O. Atovmyan), (435) 37

Synthesis and characterization of Group IV metal–iron complexes bridged by carboxylate substituted cyclopentadienyl group. The structure of $Cp_2Ti[(\mu\text{-}O_2CC_5H_4)Fe(CO)_2(CH_2C_6H_5)]_2$ (H.-M. Gau, C.-C. Schei, L.-K. Liu and L.-H. Luh), (435) 43

Synthese und Kristallstruktur von $Cp'_2Zr\{P(SiMe_3)_2\}_2$ ($Cp' = \eta^5\text{-}C_5H_4Me$) — Erste röntgenstrukturanalytische Untersuchung eines Zirkonocen–Bisphosphido-Komplexes (F. Lindenberg und E. Hey-Hawkins), (435) 291

Preparation and crystal structures of the complexes $(\eta^5\text{-}C_5H_4CMe_2\text{-}\eta^5\text{-}C_{13}H_8)MCl_2$ (M = Zr, Hf) and their role in the catalytic formation of syndiotactic polypropylene (A. Razavi and J. Ferrara), (435) 299

Book review

Reaction Mechanisms of Inorganic and Organometallic Systems, R.B. Jordan (D.A. Brown), (435) C1